



E-MAIL CALLBACK API (5.0)

The API can be called through a **HTTP POST**

HTTP POST returns Events and or Errors from sent E-Mails. The call is made to a URL belonging to the client, which must be sent to our support team through the registration Support Center.

Return Json for Events

```
{
  "credential": "[credential]",    User Credential
  "events":
  [
    {
      "codeevent": "[codeevent]",    Event Code ( See Table A )
      "dateevent": "[dateevent]",    Date and Time the event occurred.
                                      Format yyyy-MM-dd HH:mm:ss ( GMT 00:00 )
      "latitude": "[latitude]",      Latitude
      "longitude": "[longitude]",    Longitude
      "ipopenclick": "[ipopenclick]", IP address for Open and Click events
      "urlclicked": "[urlclicked]",  URL address for Click event
      "pwcode": "[pwcode]",          PitchWink Message Code ID ( Unique )
      "id_extern": "[id_extern]",    User Source ID
      "emailto": "[emailto]",        E-Mail destination address
      "aux_user": "[aux_user]",      Auxiliar Code
    },
    { ..... }, { ..... }, { ..... }, { ..... }, { ..... }, { ..... }, .....
  ]
}
```



Table A

<i>Event Code</i>	Description
1	Received
2	Processed
3	Dropped
4	Delivered
5	Bounce Hard
6	Open
7	Click
8	Spamreport
9	Unsubscribe
10	Deferred
11	Bounce Soft
16	Reversed



Return Json for Errors

```
{
  "credential": "[credential]",    User Credential
  "errors":
    [
      {
        "codeerror": "[codeerror]",    Error Code ( See Table B )
        "dateerror": "[dateerror]",    Date and Time the error occurred.
                                         Format yyyy-MM-dd HH:mm:ss ( GMT 00:00 )
        "pwcode": "[pwcode]",          PitchWink Message Code ID ( Unique )
        "id_extern": "[id_extern]",    User Source ID
        "emailto": "[emailto]",        E-Mail destination address
        "aux_user": "[aux_user]",      Auxiliar Code
      },
      { ..... }, { ..... }, { ..... }, { ..... }, { ..... }, { ..... }, .....
    ]
}
```

Table B

<i>Error Code</i>	<i>Description</i>
<i>005</i>	<i>E-Mail From with Invalid Format</i>
<i>006</i>	<i>E-Mail To with Invalid Format</i>
<i>009</i>	<i>Insufficient credits</i>
<i>010</i>	<i>Blocked Gateway</i>
<i>011</i>	<i>Domain without Authentication</i>
<i>013</i>	<i>Body with empty or invalid content</i>
<i>015</i>	<i>Gateway without operation. Contact support</i>
<i>017</i>	<i>E-Mail To Blocked for Hard Bounce</i>
<i>018</i>	<i>E-Mail To Unsubscribed</i>
<i>020</i>	<i>Invalid Body Type</i>
<i>800-999</i>	<i>Internal Error</i>